

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	933	375/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 17:43
S2	563	375/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:24
S3	360	S2 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:44
S4	2816	(equalizer or equaliser) same (code and signal)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:48
S5	31047	(error or reliab\$5) same (multiplier or multiplies or multiplicity)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:50
S6	415	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:59
S7	0	S3 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:51
S8	3	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:51
S9	9	S1 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:59

S10	7	("6377611" "6426973" "6445692" "6570863" "6570864" "6700923" "6782036").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 11:53
S11	1	"09052501"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 11:55
S12	19	"6226318"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:41
S13	4158	375/140-149.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:41
S14	20172	(equalize\$3 or filter\$3) same (decode\$3 or slice\$3) and (encoding or reencod\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:44
S15	20234	(equalize\$3 or filter\$3) same (decode\$3 or slice\$3) and (encoding or re-encod\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:45
S16	411	S13 and S15	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:46
S19	361	S16 and error	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:52
S20	4	(error near\$4 (signal or message))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:48
S21	4	(error near\$4 (signal or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 13:50
S23	247	S19 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:03
S24	12019	S15 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:03
S25	9068	S24 and error	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:05
S26	7620	S25 and (code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:06
S28	7112	S25 and (code\$3 same (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:07
S29	6335	S25 and (code\$3 with (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:08
S32	5487	S25 and (code\$3 near5 (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:13
S33	4823	S25 and (code\$3 near3 (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:13

S34	2954	S25 and (code\$3 near (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:13
S35	2341	S25 and (code\$3 adj (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:43
S36	150	S13 and S34	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:17
S37	125	S13 and S35	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:43
S38	13815	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 14:46
S39	35	S35 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 17:29
S40	80	S36 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 07:09
S41	7	((equaliz\$3 or equalis\$3) same (decod\$3 or slic\$3) same (encod\$3 or re-encode \$3)) and ((error near3 (signal or message)) same (code near (vector or signal))) and multiplier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:15
S47	1488	reliabl\$ adj2 (factor or signal) same (receiver or receiving or received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 14:51
S48	634	S47 and @py<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 16:37
S49	62	S48 and equali\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 16:38
S50	11	"3609682"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:02

S51	564	(equaliz\$3 or equalis\$3) and (decod\$3 same (encod\$3 or re-encode\$3)) and (reliab\$ near3 (signal or message)) and (receiver or receiving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:21
S52	140	S51 and @py< "2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:21
S53	195	(equaliz\$3 or equalis\$3) and (decod\$3 same (encod\$3 or re-encode\$3)) and (reliab\$ near (signal or message)) and (receiver or receiving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:22
S54	33	S53 and @py< "2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:22
S56	5	((signal) with (code near vector)) same (reliab\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:43
S58	1	(code near vector) same (reliab\$5 near signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:29
S59	6	US-20030099316-\$ DID. OR US-6690723-\$ DID. OR US-6567481-\$ DID. OR US-6418164-\$ DID. OR US-6088389-\$ DID. OR US-9950983-\$ DID. OR US-4156575-\$ DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 14:37
S60	3	((code near vector) or (code) or (code\$3 near signal)) same ((reliab\$7 or qual\$4) near factor) same (error) and (reencod\$3 or re-encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:36
S61	3271	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 13:03
S62	66	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 13:03

S63	9	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 15:02
S64	1	US-5673291-.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 14:37
S65	14	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 15:28
S66	6	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad<"20000517") and (least) and (largest or large \$4) and (thresh\$4) and (differen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:58
S67	1118	receiv\$4 signal value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:57
S68	0	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad<"20000517") and (receiv\$4 signal value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:59
S69	18	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5 or encod\$3) same (equaliz\$4 or filter) and (@ad<"20000517") and (receiv\$4 signal value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:27
S70	23	(kerdock near encoder) and (kerdock near decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S71	0	(kerdock near encoder) and (kerdock near decoder) and @ad<"20000517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S72	0	(kerdock near decoder) and @ad< "20000517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S73	8	("4517552" "5285276" "5452009" "5572532" "5938787" "6219358" "6226318" "6762698").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 19:32

S74	1	09/572122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 14:03
S75	8597	reliab\$5 with decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 14:23
S76	65	(reliab\$5 with decod\$4) and (code near vector) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S77	6960	375/341-346.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S78	6653	714/755-780.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S79	1697	receiv\$4 same (code near2 vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:30
S80	979	(receiv\$4 same (code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:32
S81	84	(receiv\$4 same (signal near3 code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:32
S82	5	09/052501	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:54
S83	4	(receiv\$4 same (kerdock near3 code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 11:04

S84	7	(receiv\$4 same (kerdock near3 code)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 11:04
S85	1	09/572122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 12:27
S86	3	(decod\$4 with (code near3 vector)) same (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 13:42
S87	3176	(reliab\$5 near2 (factor or signal or measure)) same (receiv\$4 near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 13:46
S88	33	(decod\$4 with (code near3 vector)) and (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:35
S89	4	(decod\$4 same (code near3 vector)) same (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:40
S90	5	(decod\$4 with (code near3 vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:47
S91	23	(decod\$4 same (code near3 vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:48
S92	2066	(decod\$4 same (code or vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:01
S93	1312	(decod\$4 with (code or vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:01

S94	161	(decod\$4 same (code with vector)) and ((constellat\$5 or constel\$4 or QAM or psk) same decod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:02
S95	55	(decod\$4 same (code with vector)) and ((constellat\$5 or constel\$4 or QAM or psk) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:03
S96	111	(decod\$4 same (code with vector)) and ((correlat\$4 same referenc\$3) same decod \$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:14
S97	69	(decod\$4 with (code with vector)) and ((correlat\$4 same referenc\$3) same decod \$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:22
S98	48	(decod\$4 with (code with vector)) and ((correlat\$4 with referenc\$3) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:23
S99	2	(decod\$4 with (code with vector)) and ((correlat\$4 with referenc\$3) same (code near3 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:25
S100	19	(decod\$4 with (code with vector)) and ((correlat\$4 same referenc\$3) same (code near3 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:26

S101	162	((code with vector)) and ((correlat\$4 with referenc\$3 with receiv\$4)) and (@ad< "20000517" or @pd< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:38
S102	21	(decod\$4 same (code with vector)) and ((correlat\$4 with referenc\$3 with receiv\$4)) and (@ad< "20000517" or @pd< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:39
S103	12	(decod\$4 same (code with vector)) and ((correlat\$4 with referenc\$3 with received)) and (@ad< "20000517" or @pd< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:39
S104	13	((varying or vari\$4) near2 noise) with (adapt\$3 or optimiz\$4 or enhanc\$4) with equaliz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 14:59
S105	9	((varying or vari\$4) near2 noise) same ((adapt\$3 or optimiz\$4 or enhanc\$4) with equaliz\$4 with tap\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 15:03
S106	478	(decod\$3 with (soft-decision or (soft decision) or softdecision)) same (equaliz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 15:50
S107	314	"375"/\$.ccls. and (decod\$3 with (soft-decision or (soft decision) or softdecision)) same (equaliz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 15:50
S108	122	"375"/\$.ccls. and (decod\$3 with (soft-decision or (soft decision) or softdecision)) same (equaliz\$7) and (@ad< "20000517" or @pd< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 15:50
S109	10	("2001/0004390").URPN.	USPAT	ADJ	ON	2008/10/20 15:57

S110	16	("20010004390" "20020115463" "20030236081" "20040237025" "20050086570" "20050180036" "20050180364" "20050193308" "20060159187" "20060182194" "20060182195" "20060182202" "20060182203" "20060182210" "5978365" "6094427").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/20 15:57
S111	5	("5331662" "6304995" "6459728" "6662337" "6665357").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/20 16:03
S112	74	(decod\$3 with (soft)) same equaliz\$5 same (weight or coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 17:06
S113	6	us-6307901-\$ did. or us-4800573-\$ did. or us-6690723-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/20 17:08
S114	75	((decod\$3 with kerdock\$4) or (walsh\$3 near4 transform\$5)) and ((decision with equaliz\$4) or ((reliab\$4 or reliabil\$4) near3 factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/21 10:26
S115	12	((decod\$3 with kerdock\$4) or (walsh\$3 near4 transform\$5)) and ((decision with equaliz\$4) or ((reliab\$4 or reliabil\$4) near3 factor)) and (@pd< "20000517" or @ad< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/21 10:27
S116	147	(@pd< "20000517" or @ad< "20000517" or @prad< "20000517" or @rlad< "20000517") and ((decod\$3 with kerdock\$4) or (walsh\$3 near4 transform\$5)) and ((decision with based with equaliz\$4) or ((reliab\$4 or reliabil\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/21 10:27

S117	59	(equaliz\$5 same (decision or reliab\$5)) and (decod\$5 same (walsh or hadamard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/21 15:53
S118	27	(((predetermin\$3 or predefin\$3) or(thresh\$4)) same (walsh or hadamard)) and (equaliz\$5 with (decision or reliab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/21 15:54
S119	3	("5761248" "6065147" "6182261").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2009/07/05 23:57
S120	2135	(code near vector) and encoding	US-PGPUB; USPAT; USOCR	NEAR	ON	2009/07/05 23:57
S121	4	(code near vector) and reencoding	US-PGPUB; USPAT; USOCR	NEAR	ON	2009/07/05 23:57
S122	0	((generat\$4 with reliabl\$4 near3 factor) with received) and (compar\$4 near3 thresh\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/12/04 13:19
S123	34	((generat\$4 with reliabl\$4) with received) and (compar\$4 near3 thresh\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/12/04 13:19
S124	11	("20030108136" "4389664" "5541864" "5793709" "6016113" "6094082" "6121808" "6300903" "6396313" "6430208" "6590528").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2009/12/04 13:21
S125	25	(kerdock near2 (decod\$3)) and (kerdock near2 (encod\$3))	US-PGPUB; USPAT; USOCR	NEAR	ON	2009/12/04 13:27
S126	14	((decod\$3 near6 kerdock\$4) or (walsh\$3 near4 transform\$5)) and ((decision with equaliz\$4) or ((reliab\$4 or reliabl\$4) near3 factor)) and (@pd< "20000517" or @ad< "20000517" or @prad< "20000517" or @rlad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/22 19:35

EAST Search History (Interference)

<This search history is empty>

4/22/2010 7:46:47 PM

C:\Documents and Settings\hsingh1\My Documents\EAST\Workspaces\10,815,335.wsp